

Safety Data Sheet

SABOSTAB® UV 119



SDS according to the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Safety Data Sheet dated 7/28/2023, version 4

1. IDENTIFICATION

Product identifier

Mixture identification

Trade name: SABOSTAB® UV 119

Other means of identification:

Trade code: D000000000UV119

Recommended use of the chemical and restrictions on use

Recommended use:

Industrial use

Formulation [mixing] of preparations and/or re-packaging

Industrial uses: Uses of substances as such or in preparations at industrial sites

Manufacture of bulk, large scale chemicals

Manufacture of fine chemicals

Restrictions on use:

This material is not intended for use in products for which prolonged contact with mucous membranes, body fluids or abraded skin, or implantation within human body, is specifically intended, unless the finished product has been tested in accordance with nationally and internationally applicable safety testing requirements. Because of the wide range of such potential uses, we are not able to recommended this material as safe and effective for such uses and assume no liability for such uses

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company:

SABO SpA

Via Caravaggi 9

24040 Levate (BG) - ITALY

Tel +39 035 596000

Competent person responsible for the safety data sheet:

sds@sabo.com

Emergency phone number

Sabo Spa: Tel +39 035 596000 - 8.00-18.00

address of additional emergency medical services

CHEMTREC: 1 (800) 424-9300

Contact only in the event of chemical emergencies involving spill, leak, exposure, or accident

2. HAZARD(S) IDENTIFICATION

Classification of the chemical

⚠ Warning, Skin Sens. 1, May cause an allergic skin reaction.

⚠ Warning, Comb. Dust, May form combustible dust concentrations in air.

⚠ Warning, STOT RE 2, May cause damage to organs through prolonged or repeated exposure.

⚠ Aquatic Chronic 2, Toxic to aquatic life with long lasting effects.

Label elements

Hazard pictograms:



Warning

Safety Data Sheet

SABOSTAB® UV 119

Hazard statements:

- H317 May cause an allergic skin reaction.
- USH003 May form combustible dust concentrations in air.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P314 Get medical advice/attention if you feel unwell.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P363 Wash contaminated clothing before reuse.
- P391 Collect spillage.
- P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

Hazards not otherwise classified identified during the classification process:

None

Ingredient(s) with unknown acute toxicity:

None.

Additional classification information

NFPA rating:



HMIS rating:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0
PERSONAL PROTECTION		

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

N.A.

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

>= 80% - < 90% N,N,N,N-tetrakis(4,6-bis(butyl- (N-methyl-2,2,6,6-tetramethyl piperidin-4-yl)amino)triazin-2- yl)-4,7-diazadecane-1,10- diamine

REACH No.: 01-0000015180-83-XXXX, Index number: 613-078-00-1, CAS: 106990-43-6, EC:

Safety Data Sheet

SABOSTAB® UV 119

401-990-0

⚠ A.4.2/1 Skin Sens. 1 H317

⚠ A.9/2 STOT RE 2 H373

⚠ US-HAE/C2 Aquatic Chronic 2 H411

4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products:

Carbon monoxide

Explosive properties: no

Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus .

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

Methods and materials for containment and cleaning up

Wash with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Safety Data Sheet

SABOSTAB® UV 119

Do not eat or drink while working.

Conditions for safe storage, including any incompatibilities

Storage recommended at room temperature

Avoid the formation of dust. Avoid electrostatic charges.

Dust explosion class: ST class 2 - Kst value between 200 and 300 bar m/sec

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature:

Store at ambient temperature.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

No occupational exposure limit available

DNEL Exposure Limit Values

N,N,N,N-tetrakis(4,6-bis(butyl- (N-methyl-2,2,6,6-tetramethyl piperidin-4-yl)amino)triazin-2-yl)-4,7-diazadecane-1,10- diamine - CAS: 106990-43-6

Worker Professional: 0.35 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 0.05 mg/kg - Consumer: 0.025 - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 0.025 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

N,N,N,N-tetrakis(4,6-bis(butyl- (N-methyl-2,2,6,6-tetramethyl piperidin-4-yl)amino)triazin-2-yl)-4,7-diazadecane-1,10- diamine - CAS: 106990-43-6

Target: Fresh Water - Value: 0.06 mg/l

Target: Marine water - Value: 0.006 mg/l

Target: 10 - Value: 0.073 mg/l

Target: Freshwater sediments - Value: 28.3 mg/kg

Target: Marine water sediments - Value: 2.83 mg/kg

Appropriate engineering controls:

None

Individual protection measures

Eye protection:

Eye protection: Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Protection for skin:

Chemical protection clothing.

Protection for hands:

Hand protection:

Chemical resistant protective gloves (EN 374)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374)

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Particle filter with medium /high

efficiency for solid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Thermal Hazards:

None

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and colour:

Granules, Light yellow

Odour:

slightly aminic

Safety Data Sheet

SABOSTAB® UV 119

Odour threshold:	N.A.	
pH:	NA	
Melting point / freezing point:	115-150°C	
Initial boiling point and boiling range:	ND	
Solid/gas flammability:	N.A.	
Upper/lower flammability or explosive limits:		N.A.
Vapour density:	N.A.	
Flash point:	> 275 ° C	
Evaporation rate:	N.A.	
Vapour pressure:	N.A.	
Relative density:	600-630 kg/m ³	
Solubility in water:	<= 2.0 mg/l (20°C)	
Solubility in oil:	N.A.	
Partition coefficient (n-octanol/water):		N.A.
Auto-ignition temperature:	380 °C	
Decomposition temperature:	390 °C	
Viscosity:	N.A.	
Miscibility:	N.A.	
Fat Solubility:	N.A.	
Conductivity:	N.A.	
Substance Groups relevant properties		N.A.

10. STABILITY AND REACTIVITY

Reactivity

no hazardous reactions if stored and handled as indicated

Chemical stability

The product is stable if stored and handles as prescribed/indicate

Possibility of hazardous reactions

No hazardous reaction when stored and handled as prescribe/indicated

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flames. Avoid electrostatic discharge.

May form flammable/explosive dust-air mixture. Avoid powder form in air.

substances to avoid: strong oxidizing agents, strong bases, strong acids

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological information of the product:

SABOSTAB® UV 119

a) acute toxicity

Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

c) serious eye damage/irritation

Not classified

Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation

The product is classified: Skin Sens. 1 H317

e) germ cell mutagenicity

Not classified

Safety Data Sheet

SABOSTAB® UV 119

Based on available data, the classification criteria are not met

f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

The product is classified: STOT RE 2 H373

j) aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

N,N,N,N-tetrakis(4,6-bis(butyl- (N-methyl-2,2,6,6-tetramethyl piperidin-4-yl)amino)triazin-2-yl)-4,7-diazadecane-1,10- diamine - CAS: 106990-43-6

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rabbit Negative

c) serious eye damage/irritation:

Test: Eye Irritant - Species: Rabbit Negative

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Species: Mouse Positive - Source: OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)

e) germ cell mutagenicity:

Test: Mutagenesis Negative

f) carcinogenicity:

Test: Carcinogenicity Negative

g) reproductive toxicity:

Test: Reproductive Toxicity - Species: Rat 400 Ppm

Substance(s) listed on the NTP report on Carcinogens:

None.

Substance(s) listed on the IARC Monographs:

None.

Substance(s) listed as OSHA Carcinogen(s):

None.

Substance(s) listed as NIOSH Carcinogen(s):

None.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

SABOSTAB® UV 119

The product is classified: Aquatic Chronic 2 - H411

N,N,N,N-tetrakis(4,6-bis(butyl- (N-methyl-2,2,6,6-tetramethyl piperidin-4-yl)amino)triazin-2-yl)-4,7-diazadecane-1,10- diamine - CAS: 106990-43-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 119 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 7.3 mg/l - Duration h: 24

b) Aquatic chronic toxicity:

Endpoint: EC50 - Species: Daphnia = 100 mg/l - Notes: 21 days

Safety Data Sheet

SABOSTAB® UV 119

e) Plant toxicity:
 Endpoint: EC50 - Species: Algae = 5.7 mg/kg - Duration h: 72

Persistence and degradability
 N.A.

Bioaccumulative potential
 N.A.

Mobility in soil
 N.A.

Other adverse effects
 None

13. DISPOSAL CONSIDERATIONS

Waste treatment and disposal methods
 Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

14. TRANSPORT INFORMATION



UN number
 ADR-UN Number: 3077
 DOT number: UN3077
 IATA-UN Number: 3077
 IMDG-UN Number: 3077

UN proper shipping name
 ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(HIGH MOLECULAR WEIGHT HINDERED AMINE LIGHT STABILIZER)
 DOT-Shipping Name: Environmentally hazardous substance, solid, n.o.s(HIGH MOLECULAR WEIGHT HINDERED AMINE LIGHT STABILIZER)
 IATA-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(HIGH MOLECULAR WEIGHT HINDERED AMINE LIGHT STABILIZER)
 IMDG-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(HIGH MOLECULAR WEIGHT HINDERED AMINE LIGHT STABILIZER)

Transport hazard class(es)
 ADR-Class: 9
 DOT Hazard Class: 9
 ADR - Hazard identification number: 90
 IATA-Class: 9
 IATA-Label: 9
 IMDG-Class: 9

Packing group
 ADR-Packing Group: III
 DOT Packing group: III
 IATA-Packing group: III
 IMDG-Packing group: III

Environmental hazards
 ADR-Enviromental Pollutant: Yes
 IMDG-Marine pollutant: Marine Pollutant

Safety Data Sheet

SABOSTAB® UV 119

Most important toxic component: SABOSTAB® UV 119

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

N.A.

Special precautions

DOT Special provisions: 8, 146, 335, 384, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33

ADR-Subsidiary hazards: -

ADR-S.P.: 274 335 375 601

ADR-Transport category (Tunnel restriction code): 3 (-)

IATA-Passenger Aircraft: 956

IATA-Subsidiary hazards: -

IATA-Cargo Aircraft: 956

IATA-S.P.: A97 A158 A179 A197

IATA-ERG: 9L

IMDG-EmS: F-A , S-F

IMDG-Subsidiary hazards: -

IMDG-Stowage and handling: Category A SW23

IMDG-Segregation: -

15. REGULATORY INFORMATION

USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory: all the components are listed on the TSCA inventory.

TSCA listed substances:

N,N,N,N-tetrakis(4,6-bis(butyl- (N-methyl-2,2,6,6-tetramethyl piperidin-4-yl)amino)triazin-2-yl)-4,7-diazadecane-1,10- diamine is listed in TSCA Section 8b.

SARA - Superfund Amendments and Reauthorization Act

Section 302 – Extremely Hazardous Substances: no substances listed.

Section 304 – Hazardous substances: no substances listed.

Section 313 – Toxic chemical list: no substances listed.

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

No substances listed.

CAA - Clean Air Act

CAA listed substances:

None.

CWA - Clean Water Act

CWA listed substances:

None.

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

None.

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

No substances listed.

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

No substances listed.

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

No substances listed.

16. OTHER INFORMATION

Text of phrases referred to under heading 3:

H317 May cause an allergic skin reaction.

Safety Data Sheet

SABOSTAB® UV 119

H373 May cause damage to organs through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.

Safety Data Sheet dated 7/28/2023, version 4
Sections modified from the previous revision:

1. IDENTIFICATION
2. HAZARD(S) IDENTIFICATION
9. PHYSICAL AND CHEMICAL PROPERTIES

Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
HMIS:	Hazardous Materials Identification System
IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NFPA:	National Fire Protection Association
NIOSH:	National Institute for Occupational Safety and Health
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average