

Printing date 09/11/2019

Version No: 7.02

Reviewed on 09/11/2019

1 Identification

- · Product identifier
- Trade name: SONGNOX[®] 3114

SONGNOX[®] 3114 PW, SONGNOX[®] 3114 FF

- CAS Number: 27676-62-6
- EC number: 248-597-9
- *Application of the substance / the mixture Antioxidant Plastic additive*
- Uses advised against: No further relevant information available.
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Songwon Industrial Co., Ltd. 83, Jangsaengpo-ro, Nam-gu, Ulsan, Korea Tel: +82 (0)52-273-9841 Fax: +82 (0)52-272-3528 Email: sds@songwon.com

Songwon International – Americas, Inc. 1311 West Parkwood Avenue, Friendswood, Texas 77546, USA Tel: +1-877-SONGWON Fax: +1-713-456-1812

• Emergency telephone number: North East Asia / South East Asia: Call Songwon Ind. Tel: +82 (0)52-273-9841 Europe / Middle East / India / Africa: Call BIG Tel: +32 (0)14-584545 Americas: Call CHEMTREC Day or Night DOMESTIC NORTH AMERICA 1-800-424-9300 INTERNATIONAL, CALL USA 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

- · Classification of the substance or mixture
- Combustible Dust May form combustible dust concentrations in air.
- Additional information:

Granular or free flow product grades may form combustible dust concentrations in air if processing activities significantly reduce the particle size (e.g. mechanical or pneumatic conveying, grinding, pulverizing).

The powder grades of this product may form combustible dust concentrations in air.

- · Label elements
- · GHS label elements
- The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements
- May form combustible dust concentrations in air.
- Additional information:

Granular or free flow product grades may form combustible dust concentrations in air if processing activities significantly reduce the particle size (e.g. mechanical or pneumatic conveying, grinding, pulverizing).

The powder grades of this product may form combustible dust concentrations in air.

US



Version No: 7.02

Reviewed on 09/11/2019

Trade name: SONGNOX[®] 3114

Printing date 09/11/2019

(Contd. of page 1)

• Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** No
- · vPvB: No

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 27676-62-6 Tris-(3,5-di-tert-butylhydroxybenzyl) isocyanurate
- · Identification number(s)
- EC number: 248-597-9

4 First-aid measures

· Description of first aid measures

- General information:
- No special measures required.
- If symptoms persist consult doctor.
- · After inhalation: Supply fresh air.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water.
- Remove contact lenses, if present and easy to do. Continue rinsing.
- · After swallowing: Rinse mouth.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO_{2} extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire. In case of fire, the following can be released: Carbon monoxide Carbon dioxide Nitrogen oxides (NOx)
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information
- Cool endangered receptacles with water spray.
- Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 3)



Version No: 7.02

Reviewed on 09/11/2019

Trade name: SONGNOX[®] 3114

Printing date 09/11/2019

(Contd. of page 2)

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.*
- Wear protective clothing.
- Avoid formation of dust.
- Keep away from ignition sources.
- · Environmental precautions: Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up:
- Pick up mechanically.
- Dispose of the collected material according to regulations.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

- Prevent formation of dust.
- Any deposit of dust which cannot be avoided must be regularly removed. Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: Dust can combine with air to form an explosive mixture. Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles:* Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional Occupational Exposure Limit Values for possible hazards during processing:
- PEL: 15* 5** mg/m³
 - * total dust **respirable fraction
- *REL:* 10* 5** mg/m³ * total dust **respirable fraction
- TLV: 10 mg/m³ Dust Value
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Do not eat, drink, smoke or sniff while working.



Printing date 09/11/2019

Safety Data Sheet acc. to OSHA HCS

Version No: 7.02

Reviewed on 09/11/2019

Trade name: SONGNOX[®] 3114

(Contd. of page 3)

Keep away from foodstuffs, beverages and feed. The usual precautionary measures for handling chemicals should be followed. • **Breathing equipment:** Not necessary if room is well-ventilated.

• Protection of hands:

Protective gloves and protective skin cream

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• Penetration time of glove material The exact break through time has to be found out by i

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Safety glasses
- · Body protection: Protective work clothing

9 Physical and chemical properties

Form:Solid in various formsColor:WhiteOdor:Weak, characteristicOdor threshold:Not determined.pH-value:Not applicable.Change in conditionMetting point/Melting range:219.5 - 225.5 °C (427.1 - 437.9 °F)Boiling point/Boiling range:960.98 °C (1761.8 °F)Flash point:289 °C (552.2 °F)Flammability (solid, gaseous):Product is not flammable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Danger of explosion:Product is not explosive. However, formation of explosive air/du mixtures are possible.Explosion limits:Not applicable.Lower:Not applicable.Vapor pressure at 20 °C (68 °F):6.67E-15 hPa (0 mm Hg)Density at 20 °C (68 °F):1.03 g/cm³ (8.59535 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Vapor densityNot applicable.	General Information Appearance:	
Color:WhiteOdor:Weak, characteristicOdor threshold:Not determined.pH-value:Not applicable.Change in conditionMetting point/Melting range:219.5 - 225.5 °C (427.1 - 437.9 °F)Boiling point/Boiling range:960.98 °C (1761.8 °F)Flash point:289 °C (552.2 °F)Flammability (solid, gaseous):Product is not flammable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Danger of explosion:Product is not explosive. However, formation of explosive air/du mixtures are possible.Explosion limits:Not applicable.Lower:Not applicable.Vapor pressure at 20 °C (68 °F):6.67E-15 hPa (0 mm Hg)Density at 20 °C (68 °F):1.03 g/cm³ (8.59535 lbs/gal)Relative densityNot applicable.Vapor densityNot applicable.Vapor densityNot applicable.Solubility in / Miscibility with		Solid in various forms
Odor:Weak, characteristicOdor threshold:Not determined.pH-value:Not applicable.Change in conditionMelting point/Melting range:219.5 - 225.5 °C (427.1 - 437.9 °F)Boiling point/Boiling range:960.98 °C (1761.8 °F)Flash point:289 °C (552.2 °F)Flammability (solid, gaseous):Product is not flammable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Danger of explosion:Product is not explosive. However, formation of explosive air/du mixtures are possible.Explosion limits:Not applicable.Lower:Not applicable.Vapor pressure at 20 °C (68 °F):6.67E-15 hPa (0 mm Hg)Density at 20 °C (68 °F):1.03 g/cm³ (8.59535 lbs/gal)Relative densityNot applicable.Vapor densityNot applicable.Vapor densityNot applicable.Vapor densityNot applicable.Solubility in / Miscibility withHermined.	1 01 100	0
Odor threshold:Not determined.pH-value:Not applicable.Change in condition Melting point/Melting range:219.5 - 225.5 °C (427.1 - 437.9 °F) 960.98 °C (1761.8 °F)Flash point:289 °C (552.2 °F)Flammability (solid, gaseous):Product is not flammable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Danger of explosion:Product is not explosive. However, formation of explosive air/du mixtures are possible.Explosion limits: Lower: Upper:Not applicable. 0.67E-15 hPa (0 mm Hg)Density at 20 °C (68 °F):1.03 g/cm³ (8.59535 lbs/gal) Not determined.Pensity at 20 °C (68 °F):1.03 g/cm³ (8.59535 lbs/gal) Relative density Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not determined.Solubility in / Miscibility withNot applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.	Odor:	Weak. characteristic
Change in condition Melting point/Melting range: 219.5 - 225.5 °C (427.1 - 437.9 °F) Boiling point/Boiling range: 960.98 °C (1761.8 °F) Flash point: 289 °C (552.2 °F) Flammability (solid, gaseous): Product is not flammable. Ignition temperature: Not determined. Decomposition temperature: Not determined. Danger of explosion: Product is not explosive. However, formation of explosive air/du mixtures are possible. Explosion limits: Lower: Lower: Not applicable. Oxidizing properties No Vapor pressure at 20 °C (68 °F): 6.67E-15 hPa (0 mm Hg) Density at 20 °C (68 °F): 1.03 g/cm³ (8.59535 lbs/gal) Relative density Not applicable. Vapor density Not applicable. Vapor density Not applicable. Solubility in / Miscibility with Vatermined.	Odor threshold:	Not determined.
Boiling point/Boiling range:960.98 °C (1761.8 °F)Flash point:289 °C (552.2 °F)Flammability (solid, gaseous):Product is not flammable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Danger of explosion:Product is not explosive. However, formation of explosive air/du mixtures are possible.Explosion limits:Not applicable.Lower:Not applicable.Vapor pressure at 20 °C (68 °F):6.67E-15 hPa (0 mm Hg)Density at 20 °C (68 °F):1.03 g/cm³ (8.59535 lbs/gal)Relative densityNot applicable.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with	pH-value:	Not applicable.
Boiling point/Boiling range:960.98 °C (1761.8 °F)Flash point:289 °C (552.2 °F)Flammability (solid, gaseous):Product is not flammable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Danger of explosion:Product is not explosive. However, formation of explosive air/du mixtures are possible.Explosion limits:Not applicable.Lower:Not applicable.Vapor pressure at 20 °C (68 °F):6.67E-15 hPa (0 mm Hg)Density at 20 °C (68 °F):1.03 g/cm³ (8.59535 lbs/gal)Relative densityNot applicable.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with	Change in condition	
Flash point:289 °C (552.2 °F)Flammability (solid, gaseous):Product is not flammable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Danger of explosion:Product is not explosive. However, formation of explosive air/du mixtures are possible.Explosion limits:Not applicable.Upper:Not applicable.Oxidizing propertiesNoVapor pressure at 20 °C (68 °F):1.03 g/cm³ (8.59535 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with	Melting point/Melting range:	219.5 - 225.5 °C (427.1 - 437.9 °F)
Flammability (solid, gaseous):Product is not flammable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Danger of explosion:Product is not explosive. However, formation of explosive air/du mixtures are possible.Explosion limits:Product is not explosive. However, formation of explosive air/du mixtures are possible.Lower:Not applicable.Upper:Not applicable.Oxidizing propertiesNoVapor pressure at 20 °C (68 °F):6.67E-15 hPa (0 mm Hg)Density at 20 °C (68 °F):1.03 g/cm³ (8.59535 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with	Boiling point/Boiling range:	960.98 °C (1761.8 °F)
Ignition temperature:Not determined.Decomposition temperature:Not determined.Danger of explosion:Product is not explosive. However, formation of explosive air/du mixtures are possible.Explosion limits:Product is not explosive. However, formation of explosive air/du mixtures are possible.Lower:Not applicable.Upper:Not applicable.Oxidizing propertiesNoVapor pressure at 20 °C (68 °F):6.67E-15 hPa (0 mm Hg)Density at 20 °C (68 °F):1.03 g/cm³ (8.59535 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with	Flash point:	289 °C (552.2 °F)
Decomposition temperature:Not determined.Danger of explosion:Product is not explosive. However, formation of explosive air/du mixtures are possible.Explosion limits:Not applicable.Lower:Not applicable.Upper:Not applicable.Oxidizing propertiesNoVapor pressure at 20 °C (68 °F):6.67E-15 hPa (0 mm Hg)Density at 20 °C (68 °F):1.03 g/cm³ (8.59535 lbs/gal)Relative densityNot applicable.Vapor densityNot applicable.Solubility in / Miscibility with	Flammability (solid, gaseous):	Product is not flammable.
Danger of explosion:Product is not explosive. However, formation of explosive air/dumixtures are possible.Explosion limits:Not applicable.Lower:Not applicable.Upper:Not applicable.Oxidizing propertiesNoVapor pressure at 20 °C (68 °F):6.67E-15 hPa (0 mm Hg)Density at 20 °C (68 °F):1.03 g/cm³ (8.59535 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Solubility in / Miscibility with	Ignition temperature:	Not determined.
Explosion limits:Lower:Not applicable.Upper:Not applicable.Oxidizing propertiesNoVapor pressure at 20 °C (68 °F):6.67E-15 hPa (0 mm Hg)Density at 20 °C (68 °F):1.03 g/cm³ (8.59535 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with	Decomposition temperature:	Not determined.
Explosion limits:Lower:Not applicable.Upper:Not applicable.Oxidizing propertiesNoVapor pressure at 20 °C (68 °F):6.67E-15 hPa (0 mm Hg)Density at 20 °C (68 °F):1.03 g/cm³ (8.59535 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with	Danger of explosion:	Product is not explosive. However, formation of explosive air/du mixtures are possible.
Lower:Not applicable.Upper:Not applicable.Oxidizing propertiesNoVapor pressure at 20 °C (68 °F):6.67E-15 hPa (0 mm Hg)Density at 20 °C (68 °F):1.03 g/cm³ (8.59535 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with	Explosion limits:	1
Oxidizing propertiesNoVapor pressure at 20 °C (68 °F):6.67E-15 hPa (0 mm Hg)Density at 20 °C (68 °F):1.03 g/cm³ (8.59535 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with	1	Not applicable.
Vapor pressure at 20 °C (68 °F): 6.67E-15 hPa (0 mm Hg) Density at 20 °C (68 °F): 1.03 g/cm³ (8.59535 lbs/gal) Relative density Not determined. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with	Upper:	Not applicable.
Density at 20 °C (68 °F):1.03 g/cm³ (8.59535 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with	Oxidizing properties	No
Relative densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with	Vapor pressure at 20 °C (68 °F):	6.67E-15 hPa (0 mm Hg)
Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Verticable.	Density at 20 °C (68 °F):	1.03 g/cm ³ (8.59535 lbs/gal)
Evaporation rate Not applicable. Solubility in / Miscibility with Image: Content of the second seco	Relative density	Not determined.
Solubility in / Miscibility with		Not applicable.
	Evaporation rate	Not applicable.
<i>water at 20 °C</i> (00 ° <i>F</i>); $< 0.001 \text{ g/L}$		< 0.001 ~//
Partition coefficient (n-octanol/water): 15.18 logPow (QSAR)		



Version No: 7.02

Reviewed on 09/11/2019

Trade name: SONGNOX® 3114

Printing date 09/11/2019

(Contd. of page 4)

Kinematic: Not applicable.

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 27676-62-6 Tris-(3,5-di-tert-butylhydroxybenzyl) isocyanurate

Oral LD50 > 5000 mg/kg (Rat) (OECD Guideline 401)

Dermal LD50 > 2000 mg/kg (Rat) (OECD Guideline 402)

· Primary irritant effect:

• on the skin: Based on available data, the classification criteria are not met.

- on the eye: Based on available data, the classification criteria are not met.
- Sensitization: Based on available data, the classification criteria are not met.
- Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us. The substance is not subject to classification.

· Carcinogenic categories

• IARC (International Agency for Research on Cancer) Substance is not listed.

- NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

· Toxicity		
• Aquatic toxicity:		
CAS: 27676-62-6 Ti	is-(3,5-di-tert-butylhydroxybenzyl) isocyanurate	
EC50 (24h) (static)	> 100 mg/L (Daphnia) (OECD Guideline 202, Daphnia magna)	
EC50 (72h) (static)	> 100 mg/L (Algae) (EU Method C.3, Desmodesmus subspicatus)	
IC50 (3h) (static)	> 100 mg/L (Bacteria) (OECD Guideline 209, activated sludge)	
LC50 (96h) (static)	> 1000 mg/L (Fish) (EPA-660/3-75-009, Oncorhynchus mykiss)	
NOEC (21d)	100 mg/L (Daphnia) (OECD Guideline 211, Daphnia magna)	

SONGWON

Safety Data Sheet acc. to OSHA HCS

Printing date 09/11/2019

Version No: 7.02

Reviewed on 09/11/2019

(Contd. of page 5)

Trade name: SONGNOX[®] 3114

NOEC (72h) (static) 33 mg/L (Algae) (EU Method C.3, Desmodesmus subspicatus)

• *Persistence and degradability* Not readily biodegradable

0 - 7 % @ 28 d (OECD Guideline 301B)

· Behavior in environmental systems:

· Bioaccumulative potential 7.43 BCF (QSAR)

• Mobility in soil 10 logKoc (QSAR)

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation: Must be specially treated adhering to official regulations.

· Uncleaned packagings

• *Recommendation: Disposal must be made according to official regulations.*

14 Transport information

Void	
Void	
Void	
Void	
No	
Not applicable.	
of Not applicable.	
Not dangerous according to the above specifications.	
Void	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA

· SARA

• Section 355 (extremely hazardous substances): Substance is not listed.

- Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act) Inventory: ACTIVE

• Hazardous Air Pollutants Substance is not listed.

(Contd. on page 7)

US



Version No: 7.02

Reviewed on 09/11/2019

Trade name: SONGNOX[®] 3114

(Contd. of page 6)

· Proposition 65

Printing date 09/11/2019

- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- Chemicals known to cause developmental toxicity: Substance is not listed.
- · New Jersey Right-to-Know List: Substance is not listed.
- · New Jersey Special Hazardous Substance List: Substance is not listed.
- · Pennsylvania Right-to-Know List: Substance is not listed.
- · Pennsylvania Special Hazardous Substance List: Substance is not listed.

· Carcinogenicity categories

- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value established by ACGIH) Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:

Chemservice S.A. 5, an de Laengten L-6776 Grevenmacher, Luxembourg Tel.: +352 270776-1 Fax: +352 270776-75 Email: sds@chemservice-group.com

· Date of preparation / last revision 09/11/2019 / 7.01

· Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals MARPOL: (from Marine Pollutant) International Convention for the Prevention of Marine Pollution from Ships IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk UN: United Nations (also UNO: United Nations Organization) NOEC: No Observed Effect Concentration OECD: Organisation for Economic Co-operation and Development ASTM: American Society for Testing and Materials WAF: Water Accommodated Fraction ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

• * Data compared to the previous version altered.