

Printing date 04/05/2022 Version No: 8.02 Reviewed on 04/05/2022

1 Identification

- · Product identifier
- · Trade name: SONGNOX® 6280

SONGNOX® 6280 PW, SONGNOX® 6280 FF

Recommended use:

Antioxidant Plastic additive

· Restrictions on use:

No further relevant information available.

Uses not specified

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Songwon Industrial Co., Ltd.

83, Jangsaengpo-ro, Nam-gu, Ulsan, Korea

Tel: +82 (0)52-273-9841 Fax: +82 (0)52-272-3528 Email: sds@songwon.com

Songwon International AG Walzmühlestrasse 48 CH-8500 Frauenfeld

Tel: +41 (0)52 635 00 00 Fax: +41 (0)52 635 00 01 Email: sds@songwon.com

Emergency telephone number:

North East Asia / South East Asia: Call Songwon Ind. Tel: +82 (0)52-273-9841

Europe / Middle East / India / Africa: Call BIG Tel: +32 (0)14-584545

Americas: Call CHEMTREC Day or Night DOMESTIC NORTH AMERICA 1-800-424-9300

INTERNATIONAL, CALL USA 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture

Combustible Dust May form combustible dust concentrations in the air.

Additional information:

Granular or free flow product grades may form combustible dust concentrations in air if processing activities significantly reduce the particle size (e.g. mechanical or pneumatic conveying, grinding, pulverizing).

The powder grades of this product may form combustible dust concentrations in air.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms Void
- · Signal word Warning
- Hazard statements

May form combustible dust concentrations in the air.

· Additional information:

Granular or free flow product grades may form combustible dust concentrations in air if processing activities significantly reduce the particle size (e.g. mechanical or pneumatic conveying, grinding, pulverizing).



Printing date 04/05/2022 Version No: 8.02 Reviewed on 04/05/2022

Trade name: SONGNOX[®] 6280

(Contd. of page 1)

The powder grades of this product may form combustible dust concentrations in air.

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not determined.
- · **vPvB**: Not determined.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description:		
CAS: 11097-59-9	[carbonato(2-)]hexadecahydroxybis(aluminium)hexamagnesium	7%
· Dangerous components:		
CAS: 26741-53-7	2,4,8,10-Tetraoxa-3,9-diphosphaspiro[5.5]undecane, 3,9-bis[2,4-bis(1,1-dimethylethyl)phenoxy]-	93%

4 First-aid measures

- · Description of first aid measures
- · General information:

Take affected persons out of danger area and lay down.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- · After inhalation: Supply fresh air.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do. Continue rinsing.

- After swallowing: Rinse out mouth and then drink plenty of water.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide

Carbon dioxide

Phosphorus compounds

- · Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Cool endangered receptacles with water spray.

(Contd. on page 3)



Printing date 04/05/2022 Version No: 8.02 Reviewed on 04/05/2022

Trade name: SONGNOX® 6280

(Contd. of page 2)

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective clothing.

Avoid formation of dust.

Keep away from ignition sources.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Prevent formation of dust.

Any deposit of dust which cannot be avoided must be regularly removed.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Dust can combine with air to form an explosive mixture.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional Occupational Exposure Limit Values for possible hazards during processing:

PEL: 15* 5** mg/m³

* total dust **respirable fraction

REL: 10* 5** mg/m³

* total dust **respirable fraction

TLV: 10 mg/m³ Dust Value



Printing date 04/05/2022 Version No: 8.02 Reviewed on 04/05/2022

Trade name: SONGNOX® 6280

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

Only use chemical-protective gloves with CE-labeling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Safety glasses
- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment No further relevant information available.

9 Physical and chemical properties

· Information on basic physical and chemical properties · General Information		
· Appearance:		
Form:	Solid in various forms	
Color:	White	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	170 - 180 °C (338 - 356 °F)	
Boiling point/Boiling range:	Not applicable.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
Ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/dust mixtures are possible.	
· Explosion limits:	·	
Lower:	Not applicable.	
Upper:	Not applicable.	

(Contd. on page 5)



Trade name: SONGNOX® 6280

(Contd. of page 4)

			`
Oxidizing p	roperties	No	
Vapor pres	sure:	Not applicable.	
Density:		Not determined.	
Relative de	nsity	Not determined.	
Vapor dens	ity	Not applicable.	
Evaporation	n rate	Not applicable.	
Solubility in	n / Miscibility with		
Water:		Insoluble.	
Partition co	efficient (n-octanol/water):	
26741-53-7	2,4,8,10-Tetraoxa-3,9-diph undecane, 3,9-bis[2,4-bis(phenoxy]-		10,9 logPow (25 °C)
Viscosity:			
Dynamic:		Not applicable.	
Kinematio); ;	Not applicable.	
Solvent cor	ntent:		
VOC cont	ent:	0.00 %	
Other information		No further releva	int information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability No decomposition if used and stored according to specifications.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

^{*}11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:		
CAS: 26741-53-7 2,4,8,10-Tetraoxa-3,9-diphosphaspiro[5.5]undecane, 3,9-bis[2,4-bis(1,1-dimethylethyl)phenoxy]-		
Oral	LD50	> 5000 mg/kg (Rat) (OECD Guideline 401)
Dermal	LD50	> 2000 mg/kg (Rabbit) (OECD Guideline 402)
Inhalative	LC50 (1h)	> 2 mg/L (Rat) (OECD Guideline 403)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 04/05/2022 Version No: 8.02 Reviewed on 04/05/2022

Trade name: SONGNOX® 6280

(Contd. of page 5)

- Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

*12 Ecological information

· Toxicity

· Aquatic toxicity: CAS: 26741-53-7 2,4,8,10-Tetraoxa-3,9-diphosphaspiro[5.5]undecane, 3,9-bis[2,4-bis(1,1-dimethylethyl)phenoxy]-		
LC50 (96h) (static)	70.7 mg/L (Fish) (OECD Guideline 203, Danio rerio) nominal	
EC50 (3h)	> 1000 mg/L (Bacteria) (OECD Guideline 209, activated sludge)	
EC50 (72h) (static)	97 mg/L (Algae) (OECD Guideline 201, Desmodesmus subspicatus)	
NOEC (21d)	0.1 mg/L (Daphnia) (OECD Guideline 211, Daphnia magna) semi-static, nominal	
NOEC (96h) (static)	50 mg/L (Fish) (OECD Guideline 203, Danio rerio)	

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:

· Bioaccumu	· Bioaccumulative potential				
26741-53-7	2,4,8,10-Tetraoxa-3,9-diphosphaspiro[5.5] undecane, 3,9-bis[2,4-bis(1,1-dimethylethyl) phenoxy]-	7,7-164 BCF (calc.)			
· Mobility in	· Mobility in soil				
26741-53-7	2,4,8,10-Tetraoxa-3,9-diphosphaspiro[5.5] undecane, 3,9-bis[2,4-bis(1,1-dimethylethyl) phenoxy]-	9,46 log Koc (25 °C)			

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.
- · Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · UN-Number
- · DOT, ADR/RID/ADN, IMDG, IATA UN3077



Printing date 04/05/2022 Version No: 8.02 Reviewed on 04/05/2022

Trade name: SONGNOX® 6280

(Contd. of page 6)

· UN proper shipping name

· **DOT** Environmentally hazardous substance, solid, n.o.s.

(2,4,8,10-Tetraoxa-3,9-diphosphaspiro[5.5]undecane,

3,9-bis[2,4-bis(1,1-dimethylethyl)phenoxy]-)

· ADR/RID/ADN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (2,4,8,10-Tetraoxa-3,9-

diphosphaspiro[5.5]undecane, 3,9-bis[2,4-bis(1,1-

dimethylethyl)phenoxy]-)

· IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (2,4,8,10-Tetraoxa-3,9-

diphosphaspiro[5.5]undecane, 3,9-bis[2,4-bis(1,1-dimethylethyl)phenoxy]-), MARINE POLLUTANT

· IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (2,4,8,10-Tetraoxa-3,9-

diphosphaspiro[5.5]undecane, 3,9-bis[2,4-bis(1,1-

dimethylethyl)phenoxy]-)

· Transport hazard class(es)

· DOT, ADR/RID/ADN, IMDG, IATA



· Class 9 Miscellaneous dangerous substances and articles

· Label

· Packing group

· DOT, ADR/RID/ADN, IMDG, IATA

• **Environmental hazards:** Product contains environmentally hazardous substances:

2,4,8,10-Tetraoxa-3,9-diphosphaspiro[5.5]undecane, 3,9-

bis[2,4-bis(1,1-dimethylethyl)phenoxy]-

Marine pollutant: Yes

Symbol (fish and tree)

Special marking (ADR/RID/ADN): Symbol (fish and tree)

• Special marking (IATA): Symbol (fish and tree)

· Special precautions for user Warning: Miscellaneous dangerous substances and

articles

· Hazard identification number (Kemler code): 90

· EMS Number: F-A,S-F

· Stowage Category

• Stowage Code SW23 When transported in BK3 bulk container, see

7.6.2.12 and 7.7.3.9.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· Transport/Additional information:

· DOT

• **Remarks:** Special marking with the symbol (fish and tree).

(Contd. on page 8)



Printing date 04/05/2022 Version No: 8.02 Reviewed on 04/05/2022

Trade name: SONGNOX® 6280

(Contd. of page 7)

• UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, SOLID, N.O.S. (2,4,8,10-TETRAOXA-3,9-DIPHOSPHASPIRO[5.5]UNDECANE, 3,9-BIS[2,4-BIS(1,1-DIMETHYLETHYL)PHENOXY]-), 9, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act) Inventory:

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

New Jersey Right-to-Know List:

None of the ingredients is listed.

New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

Pennsylvania Right-to-Know List:

None of the ingredients is listed.

Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

- · Carcinogenicity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.



Printing date 04/05/2022 Version No: 8.02 Reviewed on 04/05/2022

Trade name: SONGNOX® 6280

(Contd. of page 8)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Chemservice S.A. 13, Fausermillen

L-6689 Mertert, Luxembourg

Tel.: +352 270776-1 Fax: +352 270776-75

Email: sds@chemservice-group.com

· Contact:

· Date of preparation / last revision 04/05/2022 / 1.00

Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

MARPOL: (from Marine Pollutant) International Convention for the Prevention of Marine Pollution from Ships

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

UN: United Nations (also UNO: United Nations Organization)

NOEC: No Observed Effect Concentration

OECD: Organisation for Economic Co-operation and Development

ASTM: American Society for Testing and Materials

WAF: Water Accommodated Fraction

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

* Data compared to the previous version altered.