

# **SAFETY DATA SHEET**

GHS

United States English

### Section 1. Product and company identification

Product name VANLUBE® RI-BSN In case of emergency

Code 50725 1-203-853-1400

Supplier/Manufacturer Vanderbilt Chemicals, LLC Chemtrec: 1-800-424-9300
Outside US:

Vanderbilt Chemicals, LLC

30 Winfield Street

Norwalk, CT 06855

Outside US: +1-703-527-3887

Chemical name Naphthalenesulfonic acid, dinonyl-, barium salt

**Synonym** Not available.

Material uses Lubricant Additive

Product type Liquid.

### Section 2. Hazards identification

OSHA/HCS status This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the
substance or mixture

ACUTE TOXICITY (oral) - Category 4
ACUTE TOXICITY (inhalation) - Category 4

SKIN CORROSION/IRRITATION - Category 2

**GHS** label elements

**Hazard pictograms** 



Signal word Warning

**Hazard statements** Harmful if swallowed or if inhaled.

Causes skin irritation.

**Precautionary statements** 

**Prevention** Wear protective gloves. Use only outdoors or in a well-ventilated area. Avoid breathing

vapor. Do not eat, drink or smoke when using this product. Wash hands thoroughly

after handling.

**Response**IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a POISON CENTER or physician if you feel unwell. IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash

contaminated clothing before reuse. If skin irritation occurs: Get medical attention.

Storage Not applicable.

Dispose of contents and container in accordance with all local, regional, national and

international regulations.

**Hazards not otherwise** 

classified

None known.

Validation date : 5/17/2023 Date of previous issue : 11/8/2019 1/12

### Section 2. Hazards identification

### Section 3. Composition/information on ingredients

Substance/mixture

Mixture

Ingredient name	CAS number	% by weight
barium dinonyl naphthalene sulfonate	25619-56-1	50
base oil	-	>49

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### **Description of necessary first aid measures**

**Eye contact** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10

minutes. Get medical attention.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it

is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar,

tie, belt or waistband.

**Skin contact** Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing

before reuse. Clean shoes thoroughly before reuse.

Ingestion Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and

keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious

person. If unconscious, place in recovery position and get medical attention

immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt

or waistband.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

No known significant effects or critical hazards. Eye contact

Inhalation Harmful if inhaled. Skin contact Causes skin irritation. Ingestion Harmful if swallowed.

#### Over-exposure signs/symptoms

**Eve contact** Adverse symptoms may include the following:

> pain or irritation watering redness

Inhalation No specific data.

Validation date 5/17/2023 Date of previous issue : 11/8/2019

### Section 4. First aid measures

**Skin contact** Adverse symptoms may include the following:

irritation redness

Ingestion No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments** No specific treatment.

**Protection of first-aiders**No action shall be taken involving any personal risk or without suitable training. If it is

suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to

give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

**Extinguishing media** 

Suitable extinguishing

media

**Unsuitable extinguishing** 

media

None known.

Specific hazards arising from the chemical

Hazardous thermal

decomposition products

In a fire or if heated, a pressure increase will occur and the container may burst.

Decomposition products may include the following materials:

Use an extinguishing agent suitable for the surrounding fire.

carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides

Special protective actions

for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist.

Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-

emergency personnel".

Validation date : 5/17/2023 Date of previous issue : 11/8/2019 3/12

### Section 6. Accidental release measures

**Environmental precautions** 

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### **Precautions for safe handling**

**Protective measures** 

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

Occupational exposure limits

Ingredient name	Exposure limits
base oil	ACGIH TLV (United States, 4/2014).  TWA: 5 mg/m³ 8 hours. Form: Inhalable fraction  NIOSH REL (United States, 10/2013).  TWA: 5 mg/m³ 10 hours. Form: Mist  STEL: 10 mg/m³ 15 minutes. Form: Mist  OSHA PEL (United States, 2/2013).  TWA: 5 mg/m³ 8 hours. Form: Mist

Validation date : 5/17/2023 Date of previous issue : 11/8/2019 4/12

### Section 8. Exposure controls/personal protection

Appropriate engineering controls

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

**Environmental exposure** controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** 

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. Recommended: splash goggles

Skin protection

**Hand protection** 

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: lab coat

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: Vapor and dust respirator.

Personal protective equipment (Pictograms)



## Section 9. Physical and chemical properties

**Appearance** 

Physical state Liquid. [Crystalline Viscous]

ColorBrown. [Dark]OdorOdorless.Odor thresholdNot available.pHNot available.Melting pointNot available.

Validation date : 5/17/2023 Date of previous issue : 11/8/2019 5/12

## Section 9. Physical and chemical properties

**Boiling point** Not available. Flash point >=165°C (≥329°F) **Burning time** Not applicable. **Burning rate** Not applicable. **Evaporation rate** Not available. Not available. Flammability (solid, gas) Lower and upper explosive Not available.

(flammable) limits

Not available. Not available.

Vapor pressure Vapor density 1 to 1.03 g/cm<sup>3</sup> **Density** Not available. Relative density Not available. Solubility Not available. Solubility in water Partition coefficient: n-Not applicable.

octanol/water

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **SADT** Not available. **Viscosity** Not available.

## Section 10. Stability and reactivity

No specific test data related to reactivity available for this product or its ingredients. Reactivity

**Chemical stability** The product is stable.

**Possibility of hazardous** 

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid** No specific data.

**Incompatible materials** No specific data.

**Hazardous decomposition** 

products

Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

## **Section 11. Toxicological information**

Information on toxicological effects

**Acute toxicity** 

Validation date 5/17/2023 Date of previous issue : 11/8/2019 6/12

# Section 11. Toxicological information

Product/ingredient name	Result	Species	Dose	Exposure
barium dinonyl naphthalene sulfonate	LC50 Inhalation Vapor	Rat	>21 mg/l Based on tests of similar materials	1 hours
	LD50 Dermal	Rabbit	>10000 mg/kg Based on tests of similar materials	-
	LD50 Oral	Rat	1750 mg/kg Based on tests of similar materials	-
base oil	LC50 Inhalation Vapor LD50 Dermal LD50 Oral	Rat Rabbit Rat	>5 mg/l >2000 mg/kg >5000 mg/kg	4 hours - -

#### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
,	Skin - Moderate irritant Based on tests of similar materials	Rabbit	-	0.5 Mililiters	-

#### **Conclusion/Summary**

**Skin** Base oil - Non-irritating to the skin. (Rabbit)

Eyes Barium dinonyl naphthalene sulfonate: Non-irritating to the eyes. (Based on testing

of similar products and/or the components.)

#### **Sensitization**

3	Route of exposure	Species	Result
base oil	skin	Guinea pig	Not sensitizing

**Mutagenicity** 

Product/ingredient name	Test	Experiment	Result
barium dinonyl naphthalene sulfonate	-	Experiment: In vitro Subject: Bacteria	Negative
base oil	OECD 471	Experiment: In vitro Subject: Bacteria	Negative
	OECD 474	Experiment: In vitro Subject: Mammalian-Animal	Negative
	OECD 476	Experiment: In vitro Subject: Mammalian-Animal	Negative

#### **Carcinogenicity**

Not available.

#### **Reproductive toxicity**

Not available.

### **Teratogenicity**

Validation date : 5/17/2023 Date of previous issue : 11/8/2019 7/12

## **Section 11. Toxicological information**

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Not available.

Information on the likely

Not available.

routes of exposure

#### Potential acute health effects

Eye contact No known significant effects or critical hazards.

InhalationHarmful if inhaled.Skin contactCauses skin irritation.IngestionHarmful if swallowed.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** Adverse symptoms may include the following:

pain or irritation

watering redness

Inhalation No specific data.

**Skin contact** Adverse symptoms may include the following:

irritation redness

**Ingestion** No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

#### **Short term exposure**

Potential immediate Not available.

effects

Potential delayed effects Not available.

Long term exposure

Potential immediate Not available.

effects

Potential delayed effects Not available.

#### Potential chronic health effects

Not available.

GeneralNo known significant effects or critical hazards.CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.

Validation date : 5/17/2023 Date of previous issue : 11/8/2019 8/12

### **Section 11. Toxicological information**

Developmental effects
Fertility effects

No known significant effects or critical hazards. No known significant effects or critical hazards.

#### **Numerical measures of toxicity**

#### **Acute toxicity estimates**

Route	ATE value
Oral	500 mg/kg
Inhalation (dusts and mists)	1.5 mg/l

Other information

Not available.

## Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
base oil	Acute LC50 >100 mg/l	Fish	96 hours

#### Persistence and degradability

Product/ingredient name	Test	Result		Dose		Inoculum
base oil	-	31 % - Not	readily - 28 days	-		-
Product/ingredient name	Aquatic half-life		Photolysis		Biodeg	radability
base oil	-		-		Inherer	nt

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
base oil	>6	-	high

**Mobility in soil** 

Soil/water partition coefficient (Koc)

Not available.

Other adverse effects

No known significant effects or critical hazards.

## Section 13. Disposal considerations

#### **Disposal methods**

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues.

Validation date : 5/17/2023 Date of previous issue : 11/8/2019 9/12

## Section 13. Disposal considerations

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## **Section 14. Transport information**

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
<b>DOT Classification</b>	Not regulated.	-	-	ı		-
TDG Classification	Not regulated.	-	-			-
ADR/RID Class	Not regulated.	-	-			-
IMDG Class	Not regulated.	-	-	ı		-
IATA-DGR Class	Not regulated.	-	-	-		-

PG\*: Packing group

## Section 15. Regulatory information

<u>United States Inventory (TSCA 8b)</u> All components are active or exempted.

**U.S. Federal regulations** 

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

#### **SARA 302/304**

#### **Composition/information on ingredients**

No products were found.

SARA 304 RQ Not applicable.

**SARA 311/312** 

Classification ACUTE TOXICITY (oral) - Category 4

ACUTE TOXICITY (inhalation) - Category 4

SKIN IRRITATION - Category 2

#### **Composition/information on ingredients**

Name	%	Classification
barium dinonyl naphthalene sulfonate		ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SKIN IRRITATION - Category 2

#### **SARA 313**

	Product name	CAS number	%
Form R - Reporting requirements	barium dinonyl naphthalene sulfonate	25619-56-1	50
Supplier notification	barium dinonyl naphthalene sulfonate	25619-56-1	50

 Validation date
 : 5/17/2023
 Date of previous issue
 : 11/8/2019
 10/12

### **Section 15. Regulatory information**

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### State regulations

None of the components are listed. **Massachusetts New York** None of the components are listed.

The following components are listed: BARIUM COMPOUNDS **New Jersey** The following components are listed: BARIUM COMPOUNDS **Pennsylvania** 

California Prop. 65 None of the components are listed.

**International regulations** 

**Australia Inventory (AIIC)** All components are listed or exempted. Canada Inventory All components are listed or exempted. **China Inventory (IECSC)** All components are listed or exempted. **Europe inventory** All components are listed or exempted. **Japan Inventory (CSCL)** All components are listed or exempted. **Korea inventory (KECI)** All components are listed or exempted. **New Zealand Inventory of Chemicals** All components are listed or exempted.

(NZIoC)

**Philippines Inventory (PICCS) Taiwan Chemical Substances** 


**Inventory (TCSI)** 

All components are listed or exempted.

All components are listed or exempted.

## Section 16. Other information

Hazardous Material Identification System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material.

**National Fire Protection Association (U.S.A.)** 



Validation date Date of previous issue 5/17/2023 : 11/8/2019 11/12

### Section 16. Other information

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### **History**

Date of printing10/20/2023Validation date5/17/2023Date of previous issue11/8/2019

Version 4

**Key to abbreviations** ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

References Not available.

Information contact Vanderbilt Global Services, LLC

**Corporate Risk Management** 

1-203-295-2143

Visit www.vanderbiltchemicals.com for more information.

#### **Notice to reader**

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Nothing herein is to be construed as recommending any practice or any product in violation of any patent or in violation of any law or regulation. It is the user's responsibility to determine for himself the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. We make no warranty as to the results to be obtained in using any material and, since conditions of use are not under our control, we must necessarily disclaim all liability with respect to the use of any material supplied by us.

 Validation date
 : 5/17/2023
 Date of previous issue
 : 11/8/2019
 12/12