

# SAFETY DATA SHEET

**GHS** 

United States

## Section 1. Product and company identification

30 Winfield Street

Norwalk, CT 06855

**Product name** In case of emergency VANLUBE® 739

1-203-853-1400

Chemtrec: 1-800-424-9300 Supplier/Manufacturer

Vanderbilt Chemicals, LLC Outside US: +1-703-527-3887

Ashless rust inhibitor in mineral oil. **Synonym** 

52926

**Material uses** Lubricant additives

**Product type** Liquid.

### Section 2. Hazards identification

**OSHA/HCS** status While this material is not considered hazardous by the OSHA Hazard Communication

> Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and

available for employees and other users of this product.

Classification of the Not classified.

substance or mixture

Code

Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 10%

**GHS label elements** 

Signal word No signal word.

**Hazard statements** No known significant effects or critical hazards.

**Precautionary statements** 

**Prevention** Not applicable. Not applicable. Response Not applicable. **Storage Disposal** Not applicable. Hazards not otherwise None known.

classified

# Section 3. Composition/information on ingredients

Substance/mixture Mixture

Ingredient name	CAS number	% by weight
petroleum process oil, <3.0% DMSO extractable material Proprietary blend (NJTSR No. 800983-5026P)	64742-52-5 -	80 20

Occupational exposure limits, if available, are listed in Section 8.

Validation date 2/24/2014 1/10 10/3/2017 Date of previous issue

### Section 4. First aid measures

#### **Description of necessary first aid measures**

**Eye contact** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur.

**Skin contact** Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes.

Get medical attention if symptoms occur.

**Ingestion** Wash out mouth with water. Remove victim to fresh air and keep at rest in a position

comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contactNo known significant effects or critical hazards.InhalationNo known significant effects or critical hazards.Skin contactNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.

#### Over-exposure signs/symptoms

Eye contactNo specific data.InhalationNo specific data.Skin contactNo specific data.IngestionNo specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments** No specific treatment.

**Protection of first-aiders**No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing

media

Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

None known.

Specific hazards arising

from the chemical

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

Decomposition products may include the following materials:

carbon dioxide carbon monoxide metal oxide/oxides

Validation date : 10/3/2017 Date of previous issue : 2/24/2014 2/10

**VANLUBE® 739** 

### Section 5. Fire-fighting measures

Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

**Small spill** 

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### **Precautions for safe handling**

Protective measures
Advice on general
occupational hygiene

Put on appropriate personal protective equipment (see Section 8).

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Validation date : 10/3/2017 Date of previous issue : 2/24/2014 3/10

## Section 8. Exposure controls/personal protection

#### **Control parameters**

**Occupational exposure limits** 

Ingredient name	Exposure limits
petroleum process oil, <3.0% DMSO extractable material	ACGIH TLV (United States, 6/2013).  TWA: 5 mg/m³ 8 hours. Form: Inhalable fraction  NIOSH REL (United States, 10/2013).  TWA: 5 mg/m³ 10 hours. Form: Mist  STEL: 10 mg/m³ 15 minutes. Form: Mist  ACGIH TLV (United States).  STEL: 10 mg/m³  OSHA PEL (United States, 2/2013).  TWA: 5 mg/m³ 8 hours.

Appropriate engineering controls

Environmental exposure controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

**Hygiene measures** 

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** 

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: splash goggles

Skin protection

**Hand protection** 

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** 

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: lab coat

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: Vapor and dust respirator.

Personal protective equipment (Pictograms)



Validation date : 10/3/2017 Date of previous issue : 2/24/2014 4/10

# Section 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.

Color Amber. [Light]
Odor Not available.
Odor threshold Not available.
pH Not available.
Melting point Not available.
Boiling point Not available.

Flash point Closed cup: 130°C (266°F) [Pensky-Martens.]

Open cup: 171°C (339.8°F) [Cleveland.]

Burning time

Burning rate

Evaporation rate

Flammability (solid, gas)

Lower and upper explosive

Not applicable.

Not available.

Not available.

(flammable) limits

Vapor pressure Not available.
Vapor density Not available.

**Density** 0.92 g/cm³ [15.6°C (60.1°F)]

Relative density 0.92

**Solubility** Insoluble in the following materials: cold water.

Solubility in water Not available.

Partition coefficient: n- Not available.

octanol/water

Auto-ignition temperature Not available.

Decomposition temperature Not available.

SADT Not available.

Viscosity Kinematic (room temperature): 0.79 cm<sup>2</sup>/s (79 cSt) [at 25°C]

# Section 10. Stability and reactivity

**Reactivity**No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** The product is stable.

**Possibility of hazardous** 

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid No specific data.

Incompatible materials No specific data.

**Hazardous decomposition** 

products

Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

Validation date : 10/3/2017 Date of previous issue : 2/24/2014 5/10

# **Section 11. Toxicological information**

#### Information on toxicological effects

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
component of proprietary blend	LD50 Oral	Rat	>5000 mg/kg	-
petroleum process oil, <3. 0% DMSO extractable material	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-

#### **Irritation/Corrosion**

Not available.

#### **Sensitization**

3	Route of exposure	Species	Result
component of proprietary blend	skin	Guinea pig	Not sensitizing

**Mutagenicity** 

Product/ingredient name	Test	Experiment	Result
component of proprietary blend	EU B 13/14	Experiment: In vitro Subject: Bacteria	Negative

#### **Carcinogenicity**

Not available.

#### **Reproductive toxicity**

Not available.

#### **Teratogenicity**

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Not available.

# Information on the likely routes of exposure

Routes of entry anticipated: Oral, Inhalation.

#### Potential acute health effects

Validation date : 10/3/2017 Date of previous issue : 2/24/2014 6/10

**VANLUBE® 739** 

# **Section 11. Toxicological information**

Eye contactNo known significant effects or critical hazards.InhalationNo known significant effects or critical hazards.Skin contactNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contactNo specific data.InhalationNo specific data.Skin contactNo specific data.IngestionNo specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

**Potential immediate** 

Not available.

effects

Potential delayed effects Not available.

**Long term exposure** 

Potential immediate

Not available.

effects

Potential delayed effects Not available.

#### Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
component of proprietary blend	Chronic NOAEL Oral	Rat	1692 mg/kg	-
	Chronic NOAEL Oral Sub-chronic NOAEL Oral	Rat Rat	1450 mg/kg 741 mg/kg	- 13 weeks

GeneralNo known significant effects or critical hazards.CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.Developmental effectsNo known significant effects or critical hazards.Fertility effectsNo known significant effects or critical hazards.

#### **Numerical measures of toxicity**

**Acute toxicity estimates** 

Not available.

Other information Not available.

Validation date : 10/3/2017 Date of previous issue : 2/24/2014 7/10

## **Section 12. Ecological information**

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
component of proprietary blend	LC50 >350 mg/l	Fish	96 hours
	NOEL >1000 mg/l	Algae	72 hours

#### Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
component of proprietary blend	OECD 301B	6 % - Not readily - 28 days	-	-

#### **Bioaccumulative potential**

Not available.

**Mobility in soil** 

Soil/water partition coefficient (Koc)

Not available.

Other adverse effects

No known significant effects or critical hazards.

## Section 13. Disposal considerations

#### **Disposal methods**

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## **Section 14. Transport information**

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-

Validation date : 10/3/2017 Date of previous issue : 2/24/2014 8/10

VANLUBE® 739					
Section 14. Transport information					
IATA-DGR Class	Not regulated.	-	-	-	-

PG\*: Packing group

# Section 15. Regulatory information

**United States inventory (TSCA 8b)** 

All components are listed or exempted.

**U.S. Federal regulations** 

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

#### **SARA 302/304**

Composition/information on ingredients

No products were found.

**SARA 304 RQ** Not applicable.

**SARA 311/312** 

Classification Not applicable. Composition/information on ingredients

No products were found.

#### State regulations

None of the components are listed. **Massachusetts** None of the components are listed. **New York** None of the components are listed. **New Jersey** None of the components are listed. **Pennsylvania** California Prop. 65 None of the components are listed.

#### **International regulations**

**Australia inventory (AICS)** All components are listed or exempted. **Canada inventory** All components are listed or exempted. **China inventory (IECSC)** All components are listed or exempted. **Europe inventory** All components are listed or exempted. Japan inventory (ENCS) All components are listed or exempted. **Korea inventory (KECI)** All components are listed or exempted. **New Zealand Inventory of Chemicals** All components are listed or exempted. (NZIoC) All components are listed or exempted.

**Philippines inventory (PICCS)** 

**Taiwan Chemical Substances** 

Inventory (TCSI)

All components are listed or exempted.

Validation date 10/3/2017 2/24/2014 Date of previous issue 9/10

### Section 16. Other information

Hazardous Material Identification System (U.S.A.) Health

Health 1
Flammability 1
Physical hazards 0

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

**National Fire Protection Association (U.S.A.)** 



#### **History**

Date of printing10/3/2017Validation date10/3/2017Date of previous issue2/24/2014

Version 2

**Key to abbreviations** ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

References Not available.

Information contact Vanderbilt Global Services, LLC

**Corporate Risk Management** 

1-203-295-2143

Visit www.vanderbiltchemicals.com for more information.

#### **Notice to reader**

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Nothing herein is to be construed as recommending any practice or any product in violation of any patent or in violation of any law or regulation. It is the user's responsibility to determine for himself the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. We make no warranty as to the results to be obtained in using any material and, since conditions of use are not under our control, we must necessarily disclaim all liability with respect to the use of any material supplied by us.

Validation date : 10/3/2017 Date of previous issue : 2/24/2014 10/10