

# SAFETY DATA SHEET

## Section 1. Product and company identification

<b>Product name</b>	<b>VANLUBE® 887 FG</b>	<a href="#"><u>In case of emergency</u></a>
<b>Code</b>	53075	1-203-853-1400
<b>Supplier/Manufacturer</b>	Vanderbilt Chemicals, LLC 30 Winfield Street Norwalk, CT 06855	Chemtrec: 1-800-424-9300 Outside US: +1-703-527-3887
<b>Synonym</b>	Not available.	
<b>Material uses</b>	Lubricant Additive	
<b>Product type</b>	Liquid.	

## Section 2. Hazards identification

**OSHA/HCS status** This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Classification of the substance or mixture** TOXIC TO REPRODUCTION - Category 2

### [GHS label elements](#)

#### Hazard pictograms



#### Signal word

Warning

#### Hazard statements

Suspected of damaging fertility or the unborn child.

#### [Precautionary statements](#)

##### Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear protective clothing: Recommended: lab coat. Wear eye or face protection: Recommended: splash goggles.

##### Response

IF exposed or concerned: Get medical advice or attention.

##### Storage

Store locked up.

##### Disposal

Dispose of contents and container in accordance with all local, regional, national and international regulations.

#### Hazards not otherwise classified

None known.

## Section 3. Composition/information on ingredients

**Substance/mixture** Mixture

Ingredient name	CAS number	% by weight
tolutriazole compound (NJTSR No. 800983-5044P)	-	45 - 55
food-grade white oil	-	35 - 45
benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	5 - 15
diphenylamine	122-39-4	0.05 - 0.15

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### Description of necessary first aid measures

<b>Eye contact</b>	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
<b>Skin contact</b>	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
<b>Ingestion</b>	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

<b>Eye contact</b>	No known significant effects or critical hazards.
<b>Inhalation</b>	No known significant effects or critical hazards.
<b>Skin contact</b>	No known significant effects or critical hazards.
<b>Ingestion</b>	No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

<b>Eye contact</b>	No specific data.
<b>Inhalation</b>	No specific data.
<b>Skin contact</b>	No specific data.
<b>Ingestion</b>	No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

<b>Notes to physician</b>	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
---------------------------	---

## Section 4. First aid measures

<b>Specific treatments</b>	No specific treatment.
<b>Protection of first-aiders</b>	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

<b>Suitable extinguishing media</b>	Use an extinguishing agent suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	None known.

### **Specific hazards arising from the chemical**

In a fire or if heated, a pressure increase will occur and the container may burst.

### **Hazardous thermal decomposition products**

Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides  
metal oxide/oxides

### **Special protective actions for fire-fighters**

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

### **Special protective equipment for fire-fighters**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
<b>For emergency responders</b>	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
<b>Environmental precautions</b>	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

<b>Small spill</b>	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
--------------------	---

## Section 6. Accidental release measures

### Large spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

#### Protective measures

Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

#### Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

Ingredient name	Exposure limits
food-grade white oil	<p><b>ACGIH TLV (United States, 2/2010).</b> TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.</p> <p><b>NIOSH REL (United States, 6/2009).</b> TWA: 5 mg/m<sup>3</sup> 10 hours. Form: Mist STEL: 10 mg/m<sup>3</sup> 15 minutes. Form: Mist</p> <p><b>OSHA PEL (United States, 6/2010).</b> TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Mist</p>
diphenylamine	<p><b>ACGIH TLV (United States, 1/2011).</b> TWA: 10 mg/m<sup>3</sup> 8 hours.</p>

## Section 8. Exposure controls/personal protection

### Appropriate engineering controls

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

#### Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: splash goggles

### Skin protection

#### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

#### Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: lab coat

#### Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: Vapor respirator.

### Personal protective equipment (Pictograms)



## Section 9. Physical and chemical properties

### Appearance

Physical state	Liquid.
Color	Clear Yellow.
Odor	Tolytriazole-like.
Odor threshold	Not available.
pH	Not available.
Melting point	Not available.

## Section 9. Physical and chemical properties

<b>Boiling point</b>	Not available.
<b>Flash point</b>	Closed cup: 219°C (426.2°F) [Continuously Closed Cup]
<b>Burning time</b>	Not applicable.
<b>Burning rate</b>	Not applicable.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Lower and upper explosive (flammable) limits</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility</b>	Insoluble in the following materials: cold water.
<b>Solubility in water</b>	Not available.
<b>Partition coefficient: n-octanol/water</b>	Not applicable.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>SADT</b>	Not available.
<b>Viscosity</b>	Not available.

## Section 10. Stability and reactivity

<b>Reactivity</b>	No specific test data related to reactivity available for this product or its ingredients.
<b>Chemical stability</b>	The product is stable.
<b>Possibility of hazardous reactions</b>	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions to avoid</b>	No specific data.
<b>Incompatible materials</b>	No specific data.
<b>Hazardous decomposition products</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
<b>Instability Remarks</b>	Avoid excessive heat.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
tolutriazole compound (NJTSR No. 800983-5044P)	LD50 Dermal	Rabbit	>2000 mg/kg	-
food-grade white oil	LC50 Inhalation Vapor	Rat	>5 mg/l	4 hours
	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	LD50 Dermal	Rat	>2000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
tolutriazole compound (NJTSR No. 800983-5044P)	Skin - Mild irritant	Rabbit	-	4 hours	-
	Eyes - Mild irritant	Rabbit	-	0.5 minutes	-

#### Conclusion/Summary

##### Skin

benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Non-irritating to the skin. (Rabbit)

##### Eyes

benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Non-irritating to the eyes. (Rabbit)

#### Sensitization

Product/ingredient name	Route of exposure	Species	Result
tolutriazole compound (NJTSR No. 800983-5044P)	skin	Guinea pig	Not sensitizing
food-grade white oil	skin	Guinea pig	Not sensitizing
benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	skin	Guinea pig	Not sensitizing

#### Mutagenicity

Product/ingredient name	Test	Experiment	Result
tolutriazole compound (NJTSR No. 800983-5044P)	OECD 471	Experiment: In vitro Subject: Bacteria	Negative
	OECD 474	Experiment: In vitro Subject: Mammalian-Animal	Negative
	OECD 473	Experiment: In vitro Subject: Mammalian-Human	Negative
food-grade white oil	OECD 471	Experiment: In vitro Subject: Bacteria	Negative
	OECD 474	Experiment: In vitro Subject: Mammalian-Animal	Negative
	OECD 476	Experiment: In vitro Subject: Mammalian-Animal	Negative
benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	OECD 471	Experiment: In vitro Subject: Bacteria	Negative

## Section 11. Toxicological information

### Carcinogenicity

Not available.

### Conclusion/Summary

The International Agency for Research on Cancer (IARC) determined that there was inadequate evidence in humans and sufficient evidence in experimental animals for cancer. The overall evaluation is Group 2B. OSHA indicates that when present in mixtures at concentrations of less than 1 percent, the label warning is optional.

### Reproductive toxicity

Not available.

### Conclusion/Summary

benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Suspected of damaging fertility based on a reproductive/developmental toxicity screening test (OECD 421) as a range finder followed by an extended one-generation reproductive toxicity study (OECD 443).

### Teratogenicity

Not available.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

### Information on the likely routes of exposure

Routes of entry anticipated: Dermal, Inhalation, Eyes.

### Potential acute health effects

#### Eye contact

No known significant effects or critical hazards.

#### Inhalation

No known significant effects or critical hazards.

#### Skin contact

May be harmful in contact with skin.

#### Ingestion

No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

#### Eye contact

No specific data.

#### Inhalation

No specific data.

#### Skin contact

No specific data.

#### Ingestion

No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

##### Potential immediate effects

Not available.



## Section 11. Toxicological information

**Potential delayed effects** Not available.

### Long term exposure

**Potential immediate effects** Not available.

**Potential delayed effects** Not available.

### Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
tolutriazole compound (NJTSR No. 800983-5044P)	Sub-acute NOEL Oral	Rat - Male	150 mg/kg	28 days
	Sub-acute NOEL Oral	Rat - Female	1000 mg/kg	28 days

**Conclusion/Summary** Diphenylamines: Overexposure to vapors from heating the product may cause eye and/or skin irritation, and respiratory tract irritation with symptoms such as, but not limited to, dizziness and flu-like symptoms.

**General** No known significant effects or critical hazards.

**Carcinogenicity** No known significant effects or critical hazards.

**Mutagenicity** No known significant effects or critical hazards.

**Teratogenicity** No known significant effects or critical hazards.

**Developmental effects** No known significant effects or critical hazards.

**Fertility effects** Suspected of damaging fertility.

### Numerical measures of toxicity

#### Acute toxicity estimates

Route	ATE value
Dermal	2525.03 mg/kg

### Other information

benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Based on available data, the classification criteria for specific target organ toxicity (STOT) repeated exposure are not met.

A combined repeated-dose/reproductive/developmental toxicity screening test in rats via gavage was conducted at levels of 25, 75 and 225 mg/kg/bw/day. No deaths or treatment-related signs of toxicity, behavioral assessments, functional performance or sensory reactivity were noted at any dose. Hepatic toxicity was noted for animals in both sexes at 225 mg/kg bw/day.

Repeated dose toxicity study, rat, gavage, 28 days: LOEL = 125 mg/kg bw/day

## Section 12. Ecological information

### Toxicity

## Section 12. Ecological information

Product/ingredient name	Result	Species	Exposure
tolutriazole compound (NJTSR No. 800983-5044P)	Acute EC50 >5 mg/l	Algae	72 hours
food-grade white oil	Acute EC50 >5 mg/l	Daphnia	48 hours
	Acute LC50 >5 mg/l	Fish	96 hours
benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Acute LC50 >100 mg/l	Daphnia	48 hours
	Acute LC50 >10000 mg/l	Fish	96 hours
	Acute EC50 >100 mg/l	Algae	72 hours
	Acute EC50 51 mg/l	Daphnia	48 hours
	Acute IC50 >100 mg/l	Micro-organism	3 hours
	Acute LC50 >100 mg/l	Fish	96 hours

### Conclusion/Summary

tolutriazole compound (NJTSR No. 800983-5044P): Up to the maximum attainable concentration of 5 mg/l no toxic effects to aquatic organisms have been observed.

### Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
tolutriazole compound (NJTSR No. 800983-5044P)	-	0 % - 28 days	-	-
food-grade white oil	-	31 % - Not readily - 28 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
food-grade white oil	-	-	Inherent
benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	-	-	Not readily

### Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
food-grade white oil	>6	-	high
benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	5.1	1730	high

### Mobility in soil

#### Soil/water partition coefficient (K<sub>oc</sub>)

Not available.

#### Other adverse effects

No known significant effects or critical hazards.

## Section 13. Disposal considerations

### Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been

## Section 13. Disposal considerations

cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-

PG\* : Packing group

## Section 15. Regulatory information

[United States Inventory \(TSCA 8b\)](#) All components are active or exempted.

### [U.S. Federal regulations](#)

TSCA 8(a) PAIR: diphenylamine

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

### [SARA 302/304](#)

#### [Composition/information on ingredients](#)

No products were found.

### [SARA 304 RQ](#)

Not applicable.

### [SARA 311/312](#)

#### [Classification](#)

TOXIC TO REPRODUCTION - Category 2

#### [Composition/information on ingredients](#)

Name	%	Classification
benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	5 - 15	TOXIC TO REPRODUCTION - Category 2

### [State regulations](#)

#### [Massachusetts](#)

The following components are listed: food-grade white oil

#### [New York](#)

None of the components are listed.

#### [New Jersey](#)

The following components are listed: Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene

## Section 15. Regulatory information

### Pennsylvania

The following components are listed: Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene

### California Prop. 65

None of the components are listed.

### International regulations

#### Australia Inventory (AIC)

All components are listed or exempted.

#### Canada Inventory

All components are listed or exempted.

#### China Inventory (IECSC)

All components are listed or exempted.

#### Europe inventory

At least one component is not listed in EINECS but all such components are listed in ELINCS.

#### Japan Inventory (CSCL)

All components are listed or exempted.

#### Korea inventory (KECI)

All components are listed or exempted.

#### New Zealand Inventory of Chemicals (NZIoC)

All components are listed or exempted.

#### Philippines Inventory (PICCS)

All components are listed or exempted.

#### Taiwan Chemical Substances Inventory (TCSI)

All components are listed or exempted.

## Section 16. Other information

### Hazardous Material Identification System (U.S.A.)

Health	1
Flammability	1
Physical hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material.

### National Fire Protection Association (U.S.A.)



Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

### History

## Section 16. Other information

**Date of printing** 10/17/2023

**Validation date** 5/30/2023

**Date of previous issue** 11/11/2022

**Version** 8

**Key to abbreviations**

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

**References**

Not available.

**Information contact**

**Vanderbilt Global Services, LLC  
Corporate Risk Management**

**1-203-295-2143**

Visit [www.vanderbiltchemicals.com](http://www.vanderbiltchemicals.com) for more information.

**Notice to reader**

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Nothing herein is to be construed as recommending any practice or any product in violation of any patent or in violation of any law or regulation. It is the user's responsibility to determine for himself the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. We make no warranty as to the results to be obtained in using any material and, since conditions of use are not under our control, we must necessarily disclaim all liability with respect to the use of any material supplied by us.